MOLEX - I / O CENTRAL ULTRALOCK ™ / M12

BKY400PFBP10
Splitterbox M12 4-port 10m PUR

- Quick, easy, secure connection
- 4.6 or 8 ports
- Up to 5 M cycles in cable chain
- Enclosure class IP67, IP68, IP69K

PRODUCT DESCRIPTION

The Brad Harrison splitter box facilitates connection and control of inductive sensors, photoelectric sensors, solenoid valves, pressure switches, limit switches, etc. LED indication and large, clear rating plates permit fast function control and reduce troubleshooting time in the event of stoppages.

SPECIFICATIONS

Cable length	10 m
Coding	A
Color Cable	Black
Color House	Yellow
Drag Chain Tested	No
LED indicator	Yes
Number Of Ports	4
Supply Voltage DC Max	30
Supply Voltage DC Min	10
Temperature range from	-25
Temperature range to	85

27 57 4,5
54 34 4,5
4 2
1
3
73
101,5
107
120

L*

29,5 18

M12x1 41
29,5 18 30 36,5

82,6 77,5

29,5 18 L*

170
M12x1 41
29,5 18 30 36,5

202
M12x1 41
29,5 18 30 36,5

27 27 27 57 4,5
54 34 4,5
8 6 4 2
7 5 3 1
73
101,5
107
152
33 30

14 27 27 27 4,5
54 34 4,5
8 6 4 2
7 5 3 1
5,5 73
12 28,5
160,8
33 39

36 27 4,5
54 34 4,5
4 2
3 1
5,5 73
8,5
128,8
33 30 39

114,6 77,5

1 2 3 4 5 6 7 8
4 4 4 4 4 4 4 4
3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1
5 5 5 5 5 5 5 5