



# ASCO - 3/2 ANGLE-SEAT VALVE 1/2"-2"

E390B010  
Angle seat valve 1" NC 3/2

- Normally closed/open
- Working pressure 0 to 16 bar
- Housing in bronze
- Non-sensitive to dirt







## Product description

## Specifications

Approvals	SIL2
Connection Air	1/8 BSP
Connection Thread	G1
Differential Pressure Air Max	10
Differential Pressure Min	0
Differential Pressure Oil Max	10
Differential Pressure Water Max	10
Differential steam pressure max	10
Function 1	3/2
Function 2	Normally Closed (SPST)
Material Body	Bronze
Material of seals	PTFE
Material Operator	Fiberglass reinforced polyamide
Material Rod	Stainless steel
Materials Avskrapningst�tning	FPM
Materials Gland	PTFE flask filled

<b>Materials Piston Rod Seal</b>	Stainless steel
<b>Materials Piston Seal</b>	PTFE
<b>Packing Materials</b>	Brass
<b>Pilot Pressure Max</b>	10
<b>Pilot Pressure Min</b>	5
<b>Temperature range from</b>	-10
<b>Temperature range of media from</b>	-10
<b>Temperature range of media to</b>	184
<b>Temperature range to</b>	60
<b>Throughput</b>	25
<b>Type of valve</b>	Seat valve
<b>Weight</b>	2.6
<b>Viscosity Max</b>	600



ØA	B	C	D	E
1/2	39	198	68	153
3/4	44	203	84	153
1	52	212	92	153
1 1/4	57	237	110	153
1 1/2	61	244	125	153
2	69	253	145	153