

DATALOGIC QUICKSCAN I GBT/GM2400

QBT2430-WH

QuickScan QBT2430, BT, 2D kit, White (Scanner, Charger)

- Detects 1D/2D code types
- Wide VGA 752 x 480 pixels image sensor
- 30,000+ reads per charge
- Interfaces: keyboard wedge, OEM (IBM) USB, RS-232, USB



Product description

Specifications

1D Code types	Auto discriminates all standard 1D codes
2D Code Types	Aztec Code, China Han Xin Code, Data Matrix, MaxiCode, Micro QR Code, QR Code, Aztec Mesas
Approvals	RoHS
Battery	Lithium-ion: 1400 mAh
Charge time	<4hrs @ 12VDC
Color	White
Dimension (mm)	163 x 91 x 41
Drop resistance	Withstands repeated drops from 5ft onto concrete surface
Extra Features	Kit includes: Scanner and Base Station
Humidity	5-95% (Non-condensing)
Immunity To Ambient Light	0 - 100,000 lux
Interface	Keyboard wedge, OEM (IBM) USB, RS-232, USB
IP Class	IP42
Kit	Yes
Light Source	Red LED 610-650 nm

Postal Code Types	China Post, IMB, KIX Post, Planet Code, Postnet, Royal Mail Code (RM4SCC), UK Postal, Australia Postal, Japan Postal, Canadian Post
Readable code types	1D / Linear Codes, 2D Codes, Postal Codes, Stacked Codes
Reading Angle Window	Pitch: +/-65°; Tilt: 360°; Skew: +/-60°
Reads per charge	30000
Resolution	0.102 mm / 4mils
Sensor type	Wide VGA: 752 x 480 pixels
Stacked Code Types	EAN/JAN Composites, GS1 Databar Composites, GS1 Databar Expanded Stacked, GS1 Databar Stacked, GS1 Databar Stacked Omnidirectional, Macro PDF, Micro PDF 417, PDF 417, UPC A/E Composites
Temperature range bearing, from	-40
Temperature range bearing, to	70
Temperature range from	0
Temperature range to	50
Weight	200
Wireless	Yes
Wireless Technology	Bluetooth Wireless Communication