



Partition plate, Width: 1.5 mm, Colour: Blue

RAL: Ähnlich 5005

Business data

| Article number | 2002.5 |
|--|-----------------|
| Article name | TW 2,5-10 BU |
| GTIN (EAN) | 4044211048051 |
| Packaging unit | 50 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 3.2 g |
| Weight per piece (including packaging) | 3.28 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Prio-Article | 2002.2 |
| Product description | Partition plate |
| | |



Technical data

| Dimensions | |
|----------------------------------|---------------|
| Length | 50 mm |
| Width | 1.5 mm |
| Min. thickness | 1.5 mm |
| Height | 44 mm |
| Materials | |
| Material | Polyamide 6.6 |
| Flammability class UL 94 | V-2 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |
| Further technical data | |
| Designed as end plate | \checkmark |
| Snap-on available | \checkmark |
| Environmental Product Compliance | |
| REACH Conform | yes |
| REACH Reference date | 2022-06-10 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media



ZCONTACLIP

Accessories

##INVERSE##CONTA-CONNECT

| | Feed-through terminal, Faston Spade connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Width: 6 mm, Colour: Beige | | | |
|-------|--|--|---|--|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 1014.2 | FF 2,5 BG | 4044211003203 | 100 |
| | • | erminal, Faston Spade connection / scre rail TS 35/7.5 and TS 32, Rated cross-se | | • |
| N. N. | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 1019.2 | SF 2,5-4 BG | 4044211004323 | 100 ST |
| | Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm ² , Width: 8 mm, Colour: Green-yellow | | | |
| | | | | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | Article number | Article name SSL 6/2A GNYE | GTIN (EAN) 4044211141769 | |
| | 17111.2 Protective earth | | 4044211141769 type: Mounting rail TS | unit 100 ST |
| | 17111.2 Protective earth | SSL 6/2A GNYE | 4044211141769 type: Mounting rail TS | unit 100 ST |
| | 17111.2 Protective earth Rated cross-se | SSL 6/2A GNYE n terminal, Screw connection, Mounting ction: 2.5 mm ² , Width: 5 mm, Colour: Gi | 4044211141769 type: Mounting rail TS reen-yellow | unit 100 ST 35/7.5, Packaging |
| | <u>17111.2</u> Protective earth Rated cross-se Article number <u>17103.2</u> Feed-through to | SSL 6/2A GNYE n terminal, Screw connection, Mounting ction: 2.5 mm ² , Width: 5 mm, Colour: Gr Article name | 4044211141769 type: Mounting rail TS reen-yellow GTIN (EAN) 4044211141684 | unit 100 ST 35/7.5, Packaging unit 100 ST |
| | <u>17111.2</u> Protective earth Rated cross-se Article number <u>17103.2</u> Feed-through to | SSL 6/2A GNYE n terminal, Screw connection, Mounting ction: 2.5 mm², Width: 5 mm, Colour: Gr Article name SSL 2,5/2A GNYE erminal, Screw connection, Mounting typ | 4044211141769 type: Mounting rail TS reen-yellow GTIN (EAN) 4044211141684 | unit 100 ST 35/7.5, Packaging unit 100 ST |



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Green-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 17107.2 | SSL 4/2A GNYE | 4044211141721 | 100 ST |



##INVERSE##CONTA-CONNECT



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Green-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 17115.2 | SSL 10/2A GNYE | 4044211141806 | 100 ST |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Black-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|-------------------|
| 17132.2 | SRK 6/2A/PE BKYE | 4044211200718 | 100 ST |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 17100.2 | SRK 2,5/2A BG | 4044211141653 | 100 |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Beige

| Article n | number Article name | GTIN (EAN) | Packaging unit |
|-----------|---------------------|---------------|-------------------|
| 17113.2 | SRK B 10/2A BG | 4044211141783 | 100 |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Black-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|-------------------|
| 17129.2 | SRK 2,5/2A/PE BKYE | 4044211200688 | 100 ST |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Black-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|-------------------|
| 17155.2 | SRK 4/2A/PE BKYE | 4044211186692 | 100 ST |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 17104.2 | SRK 4/2A BG | 4044211141691 | 100 |



##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 17105.2 | SRK B 4/2A BG | 4044211141707 | 100 ST |

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 17109.2 | SRK B 6/2A BG | 4044211141745 | 100 ST |

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated

cross-section: 16 mm², Width: 10 mm, Colour: Beige





Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| 3 | Article number | Article name | GTIN (EAN) | Packaging unit |
|---|----------------|-------------------|---------------|-------------------|
| | 17119.2 | SRK 2,5/2A SAS BG | 4044211149048 | 80 |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 17101.2 | SRK B 2,5/2A BG | 4044211141660 | 100 ST |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 17102.2 | SRK 2,5/2A/Z BG | 4044211141677 | 100 ST |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 17108.2 | SRK 6/2A BG | 4044211141738 | 100 |



##INVERSE##CONTA-CONNECT

| | Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm ² , Width: 8 mm, Colour: Beige | | | |
|----------|---|---|---------------|-------------------|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| 1/ | 17110.2 | SRK 6/2A/Z BG | 4044211141752 | 100 ST |
| | • | terminal, Screw connection, Mounting 16 mm², Width: 10 mm, Colour: Beig | 0 71 0 | S 35/7.5, Rated |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| 17 | 17114.2 | SRK 10/2A/Z BG | 4044211141790 | 100 |
| | Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm ² , Width: 8 mm, Colour: Beige | | | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| _ | 17117.2 | SRK 6/2A SAS BG | 4044211149000 | 80 |
| | Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm ² , Width: 10 mm, Colour: Beige | | | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| - | 17118.2 | SRK 10/2A SAS BG | 4044211149024 | 80 |
| | Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm ² , Width: 10 mm, Colour: Black-yellow | | | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| N | 17133.2 | SRK 10/2A/PE BKYE | 4044211200725 | 100 ST |
| | | c for temperature measuring circuits, s rail TS 35/7.5 and TS 32, Rated cros | | • |
| | Article number | Article name | GTIN (EAN) | Packaging |

1200.2

TSK 2,5/T BG

4044211027667

50 ST



##INVERSE##CONTA-CONNECT



Terminal block for temperature measuring circuits, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 10 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1201.2 | TSK 2,5/J BG | 4044211027803 | 50 ST |



Terminal block for temperature measuring circuits, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 10 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1203.2 | TSK 2,5/K BG | 4044211028022 | 50 ST |

Terminal block for temperature measuring circuits, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 10 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1205.2 | TSK 2,5/R BG | 4044211028060 | 50 ST |



Terminal block for temperature measuring circuits, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 10 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1204.2 | TSK 2,5/S BG | 4044211028046 | 50 ST |



Four-wire motor-connection block, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1520.2 | VMAB 2,5 | 4044211046613 | 10 ST |



Four-wire motor-connection block, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1521.2 | VMAB 2,5-4 | 4044211046682 | 10 ST |



##INVERSE##CONTA-CONNECT

| C C C O O PE N L1 L2 L3 | Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------------------|---|--|---|---|
| | 1524.2 | FNAB 2,5-4 | 4044211046781 | 10 ST |
| | | ns-connection block, Screw co 32, Rated cross-section: 10 r | onnection, Mounting type:Mou mm², Colour: Multi-coloured | nting rail TS |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 1525.2 | FNAB 6-10 | 4044211046804 | 10 ST |
| | | 32, Rated cross-section: 2.5 Article name | onnection, Mounting type:Mou mm ² , Colour: Multi-coloured GTIN (EAN) | nting rail TS Packaging |
| PE N L1 L2 L3 | | | | unit |
| | 1523.2 | FNAB 2,5 | 4044211046729 | 10 ST |
| | | | | |
| | Four-wire moto | | onnection, Mounting type:Mou | |
| | Four-wire moto | pr-connection block, Screw co | onnection, Mounting type:Mou | nting rail TS |
| | Four-wire moto 35/7.5 and TS | or-connection block, Screw co 32, Rated cross-section: 10 r | onnection, Mounting type:Mou mm², Colour: Multi-coloured | nting rail TS Packaging |
| | Four-wire moto 35/7.5 and TS Article number 1522.2 Feed-through | Dr-connection block, Screw co 32, Rated cross-section: 10 r Article name VMAB 6-10 | onnection, Mounting type:Mou mm², Colour: Multi-coloured GTIN (EAN) 4044211046699 Nounting type: Mounting rail T | Packaging unit 10 ST |
| | Four-wire moto 35/7.5 and TS Article number 1522.2 Feed-through | or-connection block, Screw co 32, Rated cross-section: 10 r Article name VMAB 6-10 terminal, Screw connection, N | onnection, Mounting type:Mou mm², Colour: Multi-coloured GTIN (EAN) 4044211046699 Nounting type: Mounting rail T | nting rail TS Packaging unit 10 ST |
| | Four-wire moto 35/7.5 and TS Article number 1522.2 Feed-through cross-section: | or-connection block, Screw co 32, Rated cross-section: 10 r Article name VMAB 6-10 terminal, Screw connection, M 10 mm ² , Width: 8 mm, Colour | onnection, Mounting type:Mou mm², Colour: Multi-coloured GTIN (EAN) 4044211046699 Mounting type: Mounting rail T r: Beige | Packaging unit 10 ST S 35/7.5, Rat |
| | Four-wire moto 35/7.5 and TS Article number 1522.2 Feed-through cross-section: Article number 1168.2 Feed-through | Dr-connection block, Screw co 32, Rated cross-section: 10 r Article name VMAB 6-10 terminal, Screw connection, N 10 mm ² , Width: 8 mm, Colour Article name RK 6-10/35/SAS BG | Aounting type: Mounting type: Mounting GTIN (EAN) 4044211046699 Mounting type: Mounting rail T r: Beige GTIN (EAN) 4044211128630 Mounting type: Mounting rail TS | Packaging unit 10 ST S 35/7.5, Rat Packaging unit 100 |
| | Four-wire moto 35/7.5 and TS Article number 1522.2 Feed-through cross-section: Article number 1168.2 Feed-through | Dr-connection block, Screw co 32, Rated cross-section: 10 r Article name VMAB 6-10 terminal, Screw connection, N 10 mm ² , Width: 8 mm, Colour Article name RK 6-10/35/SAS BG terminal, Screw connection, N | Aounting type: Mounting type: Mounting GTIN (EAN) 4044211046699 Mounting type: Mounting rail T r: Beige GTIN (EAN) 4044211128630 Mounting type: Mounting rail TS | Packaging unit 10 ST S 35/7.5, Rat Packaging unit 100 |

Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| A | article number | Article name | GTIN (EAN) | Packaging unit |
|---|----------------|--------------|---------------|-------------------|
| 1 | 296.2 | RK 2,5 BG | 4044211040215 | 100 |



100 ST

##INVERSE##CONTA-CONNECT

1563.2



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm², Width: 16 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1432.2 | RK 35 Ex BG | 4044211044794 | 20 |



| 32, Rated cros | ss-section: 4 mm ² , Width: 6 mm, Co | olour: Black-yellow | |
|----------------|---|---------------------|-------------------|
| Article number | Article name | GTIN (EAN) | Packaging unit |

4044211047344

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

RK 2,5-4/PE BKYE

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 1430.2 | RK 6-10 Ex BG | 4044211044770 | 100 |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|-------------------|
| 1748.4 | RK 2,5-4 PA-G BK | 4044211141134 | 100 ST |



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 25 mm², Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 1166.2 | RK 2,5/SAS BG | 4044211128616 | 100 |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| 0 | Article number | Article name | GTIN (EAN) | Packaging unit |
|---|----------------|--------------------|---------------|-------------------|
| | 1167.2 | RK 2,5-4/35/SAS BG | 4044211128623 | 100 |



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 1427.2 | RK 2,5-4 Ex BG | 4044211044732 | 100 |



100

##INVERSE##CONTA-CONNECT

1426.2

RK 2,5 Ex BG



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1005.2 | RK 6-10 BG | 4044211001148 | 100 |



TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige
Article number Article name GTIN (EAN) Packaging
unit

4044211044718

Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1431.2 | RK 16 Ex BG | 4044211044787 | 50 |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 1577.2 | RK 2,5-4/35 BG | 4044211047566 | 100 |



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 25 mm², Width: 5 mm, Colour: Black-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 1562.2 | RK 2,5/PE BKYE | 4044211047337 | 100 ST |



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Black-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 1564.2 | RK 6-10/PE BKYE | 4044211047351 | 100 ST |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 1578.2 | RK 6-10/35 BG | 4044211047627 | 100 |



##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 1749.4 | RK 6-10 PA-G BK | 4044211141141 | 100 ST |



EX-Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Green-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 87808.2 | SSL 10/2A Ex GNYE | 4044211199821 | 100 ST |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 87807.2 | SRK 10/2A Ex BG | 4044211199807 | 100 |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 87805.2 | SRK 6/2A Ex BG | 4044211199777 | 100 |