Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Acti9 - comb busbar - 1L - 18 mm pitch - 12 modules - 100A



A9XPH112

Main

Range	Acti9	
Product or component type	Comb busbar	
Mounting mode	Horizontal	
Accessory / separate part category	Connection accessory	
Lines description	1L	
Length in 18 mm modules	12	
Standards	EN/IEC 61439-1	

Complementary

Number of ways	12 ways 1 L	
Distribution type	L	
Poles configuration for 1 way	1 x 1P	
Connection pitch	18 mm	
Connector type	Tooth	
Distance between way	18 mm	
Marking	L	
Insulation	Insulated	
Device presentation	Cuttable	
[le] rated operational current	100 A at 40 °C	
[Ue] rated operational voltage	415 V AC	
[Ui] rated insulation voltage	500 V AC conforming to IEC 61439-2	
Mounting location	Top or bottom on tunnel type terminals Top or bottom on double terminal	
9 mm pitches	24	
Width	220 mm	
Colour	White (RAL 9003)	
Range compatibility	Acti9 Acti9 iC60 Acti9 Acti9 iK60 Acti9 Acti9 iID Acti9 Acti9 iID K Acti9 Acti9 iSW Acti9 Acti9 iSW	

Environment

Multi9 Multi9 C60

Fire resistance	960 °C (30 s) conforming to IEC 60695-2-1	
Pollution degree	3 conforming to IEC 60947-7-1	
IP degree of protection	IP20 with and piaces and teeth covers	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.000 cm
Package 1 Width	8.700 cm
Package 1 Length	12.400 cm
Package 1 Weight	49.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	6.000 cm
Package 2 Width	8.700 cm
Package 2 Length	24.800 cm
Package 2 Weight	554.000 g
Unit Type of Package 3	S03
Number of Units in Package 3	160
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	9.380 kg

Logistical informations

Country of origin

Contractual warranty

Warranty 18 months

DE



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Total lifecycle Carbon footprint	1
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances		
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	Yes	
EU RoHS Directive	Compliant	
SCIP Number	41a8b1b0-6424-4682-ac9c-98796ac87431	
REACh Regulation	REACh Declaration	

Use Again

○ Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	Yes
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins