


busbar adapter 200 A (32214)



The picture may show a similar product.

Description

Part No.: **32214**000

EQUES[®] 60Classic

busbar adapter 200 A

terminals 6 - 70 mm² at top

108 x 222

connection to the system top

for busbars 12, 15, 20, 25, 30 x 5, 10 and section busbars

System

60Classic

Product group 05

Subgroup 36

pack size 1

EAN 4021267322144

catalog page 2020 : 3.15

ECLASS 6.1 27370304

ECLASS 7.1 27370304

ETIM 4.0 EC001531

ETIM 5.0 EC001531

Approvals

Standards

IEC 61439-1:2011

UL 508

Approvals

CSA , UL , DNV GL , EAC



type number: 60200

EAC Type: EQ

UL file: E123577, UL category (for USA): NMTR2 <https://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR8 <https://www.ul.com>

CSA file: 110285, CSA class: 3211-37 <https://directories.csa-international.org>

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2011

Electrical data IEC

Rated current (IEC): 200 A

rated voltage (IEC) AC: 690 V

rated isolation voltage U_i AC: 800 V

rated surge voltage U_{imp} : 6 kV

rated peak withstand current I_{pk} max.: 46.9 kA

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 10.6 W.

(The power dissipation at full load would be 16.6 W.)

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) DC: 800 V

Details UL

Standards

UL 508

Electrical data UL

rated current (UL): 200 A

rated voltage (UL) AC: 600 V

rated frequency (UL): 50 / 60 Hz

SCCR unprotected max.: 10 kA

3 cycles (without OPD) @ 600 V AC

Mechanical data

W x H x D: 108 x 222 x 39

weight: 84.2 kg/100


poles: 3-pole

for busbars: 12, 15, 20, 25, 30 x 5, 10 and section busbars

Reference

Movable fastening rails with M4 slide nuts for safe mounting of the switching devices.

Accessories



32937000

slide nut M5

for: 32168, 32214, 32215, 32216