

# Specifications



## Eaton NITD20

Eaton Bussmann series low voltage british standard fuse, 20A, AC 550 V, V88/A1, 14 x 55 mm, gL/gG

### General specifications

<b>PRODUCT NAME</b>	Eaton Bussmann series low voltage british standard fuse
<b>CATALOG NUMBER</b>	NITD20
<b>UPC</b>	051712840118
<b>EAN</b>	5027590504034
<b>MODEL CODE</b>	20A, AC 550V, V88/A1, 14 x 55 mm LV fuse
<b>PRODUCT LENGTH/DEPTH</b>	55 mm
<b>PRODUCT HEIGHT</b>	14 mm
<b>PRODUCT WIDTH</b>	14 mm
<b>PRODUCT WEIGHT</b>	15.75 g
<b>COMPLIANCES</b>	RoHS Compliant CE Marked
<b>CERTIFICATIONS</b>	IEC 60269-2 BS88



Powering Business Worldwide

## Electrical rating

AMPERAGE RATING	20 A
BREAKING CAPACITY	80 kA
INTERRUPT RATING	80 kAIC
RATED SWITCHING CAPACITY	80 kA
VOLTAGE RATING	550 V
VOLTAGE TYPE	AC

## General information

CLASS	Class gG/gL
CONNECTION	Bolt-on
CONSTRUCTION SIZE	A1
FITTED WITH:	Offset bolted tags
FUSE INDICATOR	None
FUSE SHAPE	Offset slotted bolted tags
FUSE SIZE	BS88/A1
INSULATED METAL GRIPPING LUGS (IMGL)	No
UTILIZATION CATEGORY	gL/gG (cable protection/equipment protection)

## Physical details

COLOR	None
FUSE TYPE	NITD

## Resources

CATALOGS	<a href="#">eaton-bussmann-series-low-voltage-fuses-catalog-ca134002en-en-us.pdf</a>
DECLARATIONS OF CONFORMITY	<a href="#">eaton-low-voltage-british-standard-fuse-declaration-of-conformity-uk250978en.pdf</a> <a href="#">eaton-low-voltage-british-standard-fuse-declaration-of-conformity-eu250495en.pdf</a>
MCAD MODEL	<a href="#">eaton-iec-lv-fuses-mcad-3d-models-nitd-2-32a.stp</a>
MULTIMEDIA	<a href="#">Eaton Bussmann - Red Spot fuse links</a>
TECHNICAL DATA SHEETS	<a href="#">4106 NITD fuses</a>

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

