

# Specifications



## Eaton NITD25

Eaton Bussmann series low voltage british standard fuse, 25A, AC 550 V, V88/A1, 14 x 55 mm, gL/gG

### General specifications

|                             |   |
|-----------------------------|---|
| <b>PRODUCT NAME</b>         | Eaton Bussmann series low voltage british standard fuse |
| <b>CATALOG NUMBER</b>       | NITD25  |
| <b>UPC</b>                  | 051712840125  |
| <b>EAN</b>                  | 5027590504096   |
| <b>MODEL CODE</b>           | 25A 550V AC BS88 FUSE                                   |
| <b>PRODUCT LENGTH/DEPTH</b> | 55 mm   |
| <b>PRODUCT HEIGHT</b>       | 14 mm   |
| <b>PRODUCT WIDTH</b>        | 14 mm   |
| <b>PRODUCT WEIGHT</b>       | 15.7 g  |
| <b>COMPLIANCES</b>          | RoHS Compliant<br>CE Marked                             |
| <b>CERTIFICATIONS</b>       | IEC 60269-2<br>BS88                                     |



Powering Business Worldwide

## Electrical rating

|                          |         |
|--------------------------|---------|
| AMPERAGE RATING          | 25 A    |
| BREAKING CAPACITY        | 80 kA   |
| INTERRUPT RATING         | 80 kAIC |
| RATED SWITCHING CAPACITY | 80 kA   |
| VOLTAGE RATING           | 550 V   |
| VOLTAGE TYPE             | AC      |

## General information

|                                      |   |
|--------------------------------------|---|
| CLASS                                | Class gG/gL                                   |
| CONNECTION                           | Bolt-on                                       |
| CONSTRUCTION SIZE                    | A1  |
| FITTED WITH:                         | Offset bolted tags                            |
| FUSE INDICATOR                       | None  |
| FUSE SHAPE                           | Offset slotted bolted tags                    |
| FUSE SIZE                            | BS88/A1                                       |
| INSULATED METAL GRIPPING LUGS (IMGL) | No  |
| UTILIZATION CATEGORY                 | gL/gG (cable protection/equipment protection) |

## Physical details

|           |      |
|-----------|------|
| COLOR     | None |
| FUSE TYPE | NITD |

## Resources

|                            |  |
|----------------------------|--|
| CATALOGS                   | <a href="#">eaton-bussmann-series-low-voltage-fuses-catalog-ca134002en-en-us.pdf</a>   |
| DECLARATIONS OF CONFORMITY | <a href="#">eaton-low-voltage-british-standard-fuse-declaration-of-conformity-eu250495en.pdf</a><br><a href="#">eaton-low-voltage-british-standard-fuse-declaration-of-conformity-uk250978en.pdf</a> |
| MCAD MODEL                 | <a href="#">eaton-iec-lv-fuses-mcad-3d-models-nitd-2-32a.stp</a>   |
| MULTIMEDIA                 | <a href="#">Eaton Bussmann - Red Spot fuse links</a>   |
| TECHNICAL DATA SHEETS      | <a href="#">4106 NITD fuses</a>  |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

