

busbar 15 x 5 (01619)



The picture may show a similar product.

Description

Part No.: **01619**000
busbar 15 x 5
length 2.40 m, tinned

System

60Classic

Advantages of the product

Tin-plated Cu busbars considerably reduce the effort of preparing the contact points.
The Cu busbars are effectively protected against aggressive media.

Product group 06

Subgroup 82

pack size 1

EAN 4021267016197

catalog page 2020 : 3.3

ECLASS 6.1 27370303

ECLASS 7.1 27370303

ETIM 4.0 EC001522

ETIM 5.0 EC001522

Approvals

Standards

IEC 61439-1:2011

Approvals

DNV GL, EAC



type number: 15x5

EAC Type: BB-F

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2011

Electrical data

Please respect the insulation characteristics of the busbar support for your application.

short-circuit withstandability: see product description of the used busbar support

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 25.6 W.

(The power dissipation at full load would be 40.0 W.)

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

current at 30 K 250 A

:

Mechanical data


W x H x D: 2400 x 15 x 5

weight: 160.6 kg/100

cross-section: 75 mm²

Edge radius 0.5

Accessories



01244000

busbar cover

for 12 - 30 x 5 busbar, 1 m long

touch protection cover